

#### REVOLVING FUND POULTRY PROJECT

## CENTRE FOR ADVANCED STUDIES IN POULTRY SCIENCE

KERALA VETERINARY AND ANIMAL SCIENCES UNIVERSITY

Mannuthy, Pin:- 680651, Thrissur, Kerala Phone: 0487-2370117, Email: <a href="mailto:rfpp@kvasu.ac.in">rfpp@kvasu.ac.in</a>,

CASPS/RFPP/GEN.II/TENDER/2025-26(1)

Mannuthy, Dated: 03.04.2025

#### **Tender Notice**

Sealed competitive tenders are invited for the supply of 5 birds homestead poultry cages for Director & PI, Revolving Fund Poultry Project, Centre for Advanced Studies in Poultry Science, KVASU, Mannuthy under a period of 6 months (The exact quantity will be determined based on actual demand from farmers during the contract period). Last date for the receipt of the tender is on 24.04.2025 at 2.30 P.M. and tenders received will be opened at 3.00 P.M. on the same day in the presence of the tenderers or their authorized representatives. All the rules/regulations applicable to the Govt. tenders will be applicable to this tender also. The EMD as detailed below should be furnished along with the tenders. Further details if any will be provided from this office of the undersigned during working hours.

#### **Terms and Conditions**

- The tender amount per cage must be clearly written in both figures and words. The sealed cover containing tenders should be super scribed "Tender for the supply of homestead poultry cages" and should be addressed to the <u>Director & PI, Revolving Fund Poultry Project, Centre for Advanced Studies in Poultry Science, Mannuthy P.O, Thrissur 680 651.</u>
- 2. The tender form fee of Rs.1003/- (Rs.850- + Rs.153/- (GST 18%)) and an EMD of Rs. 10625/- should be submitted along with the tender documents by way of DD drawn in favour of Director & PI, Revolving Fund Poultry Project, Centre for Advanced Studies in Poultry Science, Mannuthy payable at SBI, Ollukkara. The tender form can be downloaded from the University's website (www.kvasu.ac.in). The cost of tender forms is non-refundable.
- 3. The earnest money deposit (EMD) of unsuccessful tender will be refunded after the completion of the bidding process
- Firms who are exempted from payment of EMD should furnish self attested copy of valid certificates issued by concerned government authority.

- 5. Participants in the bid must mandatorily have GST registration, PAN card, and Aadhaar card.
- 6. The tenderer should furnish audited financial statement for the past 3 financial years.
- 7. The tenderer should have supplied and successfully completed a minimum of 5 government projects.
- 8. All relevant documents demonstrating their eligibility should be included as part of the tender documents.
- 9. The cages must be supplied as per the approved model and specifications attached as Annexure I.
- 10. The tender amount must be inclusive of material cost, labour charges, loading, unloading, GST and transportation of the final product to the desired location and commissioning charges if any.
- 11. We are exempted from payment of customs and excise duty for our procurement and hence prices quoted should be exclusive of these prices.
- 12. The delivery must be completed within 20 days from the date of the purchase order.
- 13. Tenders that are not signed and submitted will be rejected. The rates quoted in the tender must be in Indian currency
- 14. If the tender winner fails to comply with the tender conditions, the contract will be cancelled, and the entire amount paid will be forfeited to the University's fund.
- 15. The Director & P.I. reserves the full right to make any decisions regarding this tender and to reject any tender without providing any reason to the participants.
- 16. Late and incomplete tenders and tenders without EMD will not be accepted.
- 17. Order will be placed periodically based on the request from farmers and supplier should fulfill the orders as per the terms and conditions. The minimum quantity will be 10 cages per supply order.
- 18. Selected firms will have to furnish a security deposit of 5% of the total cost of cage Rs.21,250/-. and execute an agreement in Kerala stamp paper worth Rs.200/-
- 19. The undersigned reserves the right to accept or reject any or all or the offers without assigning any reason whatsoever.
- 20. The supplier is responsible for transporting the cages to the designated location at Centre for Advanced Studies in Poultry Science. Mannuthy, Thrissur. Kerala.

MANNUTHY

Date

TO SUM POULTRY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANUTHY

TO MANUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNUTHY

TO MANNU

Director & PI
Revolving Fund Poultry Project
CAS in Poultry Science
KVASU, Mannuthy - 680 651

### Annexure I

# **Specification for Enriched Cage for 5 Birds**

- 1. Dimensions:
  - a. Centre Height: 4 feet.
  - b. Side Height: 3.5 feet.
  - c. Width: 2 feet.
  - d. Length: 4 feet.
- 2. Mesh Specifications:
  - a. Mesh Size: 0.5 inches.
  - b. Gauge of Mesh: 10 gauge (strong and durable).
  - c. Coating: Anti-rust and anti-corrosion (zinc galvanisation or epoxy paint).
- 3. Square Pipes (Frame and Support Structure):
  - a. Material: MS Steel (GI).
  - b. Pipe Dimensions:
    - i. Size: 0.75 inch x 0.75 inch
    - ii. Wall Thickness: 1.5 mm to 2 mm for durability.
    - iii. Gauge of pipe: 18 gauge (strong and durable).
  - c. Coating: Anti-rust and anti-corrosion (zinc galvanisation or epoxy paint).
  - d. Support Legs:
    - i. Height: 0.5 feet above ground.
    - ii. Number of Legs: 4 legs (4 corners)
    - iii. Dummy wash for all legs.
  - e. Cross Bracing:
    - i. Vertical and or horizontal bracing beneath the floor using square pipes.
  - f. Frame for bedding material: MS Steel Frame without cross bracing where the sheet should be screwed
    - i. Dimensions: 4 feet(L) x 2 feet (W) x 0.5 feet (H)
- 4. Side Wall:
  - a. Material: Galvanised Iron (GI) Sheet.
  - b. **Height**: 1.5 feet from the base on all sides. Remaining area mesh with specified quality on all sides.
  - c. Gauge: 18 gauge.
  - d. Coating: Anti-corrosion coating on both sides.
  - e. Protective barricade: For preventing litter escape while opening door. (Length 2.5 ft x
  - f. Height 1ft)
- 5. Floor:
  - a. Height from Ground: 0.5 feet.
  - b. Material: GI Sheet
  - c. Gauge: 18 gauge.
  - d. Litter Bedding: Wood shavings for optimal absorption and easy management.
- 6. Roof:
  - a. Material: Centre moulded GI Sheet without pointy edges.
  - b. Gauge: 18 gauge
  - c. Type: Slanted roof for better water runoff and ventilation.
  - d. Dimensions: Compatible to cage dimensions (4 ft x 2 ft)
  - e. Overhang: Minimum 10 inches on all sides to prevent water entry.
  - f. Coating: Weatherproof, rust-resistant paint with UV protection.

#### 7. Door Specifications:

- a. Position: Centre of the front side.
- b. Dimensions: 2.5 feet height x 1.5 feet width.
- c. Frame: GI pipe 18 Gauge
- d. Type: Hinged door for easy access.
- e. Locking Mechanism: Secure latch with provision for additional locking.
- f. Material: Sheet cover for 1 feet height from floor and Mesh above -covered frame made of square pipes for durability.

#### 8. Perches:

- a. Material: Smooth wood with non-toxic varnish or water-resistant coating.
- b. Width: 2 feet per perch.
- c. Quantity: 2 perches on both sides of door
- d. Height from Floor: 1.5 foot for easy access by birds.

# 9. Feeding and Watering System:

- a. Feeder:
  - i. Type: Hanging tube feeder (plastic).
  - ii. Capacity: 8 kg.
  - iii. Quantity: 1 feeder.
- b. Watering System:
  - i. Water Tank Capacity: 5 litres.
  - ii. Nipples with Cups: 3 nos (equally distributed for accessibility).

#### General

- Complete closure to prevent predator entry on all sides.
- GI Sheet to be bolted with screws for perfect closure to prevent litter escape through gaps.
- Leak proof drinker systems.
- Complete covering with Anti-rust and anti-corrosion paint (zinc galvanisation or epoxy paint).
- Sharp edge protection for safe access and handling.
- Consistent and uniform finishing for enhanced aesthetic appeal.

DIRECTOR & PI

Director & PI Revolving Fund Poultry Project CAS in Poultry Science KVASU, Mannuthy - 680 651

# Annexure 2

# Format for quoting the tender amount in respective company letter head

| Name                              | Rate per cage<br>(in Rs.) |
|-----------------------------------|---------------------------|
| Homestead Poultry Cages (5 birds) |                           |